

Customer no.:
Name:
Street:
City/Town:
Tel.:
e-mail:

Comments:
Prefer us to call you back? Let us know if you would like to speak with us about any special requests.

Date:	Signature:
-------	------------

Customised splicing and rigging

Customised for you.

Splicing makes a secure join between 2 ends of rope (or rope and wire). It is a much stronger way of joining than a knot, which can significantly decrease a rope's strength. With professional rope splicing, the breaking load of the rope is reduced

slightly, whereas that of a knot is reduced considerably (by up to 75 %). Take for example the simple bowline. This ancient knot has been used by sailors for years, but can reduce the breaking load of rope by up to 50%. Compare this with a splice joint, and the breaking load is reduced

by approx. only 5%. Which is why splicing makes complete sense. SVB's splicing team works on your custom rope creations and offers a complete service - from advice to the finished product.

SPLICING



Whipping (open end)



Flemish Eye



Pilot's Eye Splice

An eye splice is perfect for mooring lines, spring and anchor lines, safety lines etc.



Eye splice with stainless-steel thimble



Eye splice with reinforced stainless-steel thimble



Eye splice with aluminium round thimble



Eye splice with carabiner hook

ORDER ONLINE:

Whipping, eye splice with thimble or carabiner, Flemish eye or Pilot's eye

Please use our online rope configurator to order this splicing work.

It can be accessed directly on the rope item in our online shop. You can use the tool to customise your rope.

Choose colour, length, splice, thimble, carabiner and more.

We carefully make your rope by hand according to your online order.

DATASHEET

Rigging and splicing

**ORDERED
IN WRITING:**

Please send the
completed data sheet
or these customised
orders to:
info@svb24.com

JOINING SPLICE

Two different line diameters and/or line types can be spliced together according to your individual needs. For example, you can splice together the high quality DynaOne-Line with the reasonably priced Tasmania or Gemini-X.

Note: Not suitable for CUP ropes. The maximum difference between the rope \varnothing is 4 mm!



1. Item number rope (first rope):	Item number rope (second rope):		
2. Length of first rope:	Length of second rope:		
3. Whipping:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
4. End finish (first rope work):	<input type="checkbox"/> Eye splice	<input type="checkbox"/> Eye splice with stainless-steel thimble	<input type="checkbox"/> Eye splice with reinforced stainless-steel thimble
5. End finish (second rope work):	<input type="checkbox"/> Eye splice	<input type="checkbox"/> Eye splice with stainless-steel thimble	<input type="checkbox"/> Eye splice with reinforced stainless-steel thimble
6. Quantity			

WIRE TO ROPE SPLICE

Custom made wire-to-rope connections. We recommend following combination: Nirowire 7 x 19 - Line TASMANIA or RACE XP.

Note: Not for CUP, SQUARE and 3-strand ropes.



Perfect for use as a halyard or tripping line for centreboards

1. Item number rope:	Length of rope:		
2. Item number stainless steel wire:	Length of stainless steel wire:		
3. Whipping:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
4. End finish (rope work):	<input type="checkbox"/> Eye splice	<input type="checkbox"/> Eye splice with steel* thimble	<input type="checkbox"/> Eye splice with reinforced steel* thimble
End finish stainless steel wire:	The wire end cannot be assembled!		
5. Quantity	*stainless-steel thimble		

ENDLESS SPLICE

Custom made infinity line. Such joining splices are used in EASYMATIC main sheet systems, running lines in jibs or in the mast, for example.

Note: CUP rope is not suitable for a continuous rope



1. Item number rope:
2. Extended length:
3. Circumference length:
4. Quantity:

Please fill in the following data sheets and send them back to us. We will be happy to send you an offer immediately.

OVERVIEW


Ropes



SVB ROPE-FINDER:



- 1** MAIN SHEET:
Cruise XP, Race XP, MegaTwin Dyneema, DynaLite, Tasmania SC, Gemini X, Gemini X Sport
- 2** MAIN HALYARD:
Cruise XP, Race XP, MegaTwin Dyneema, JammerTwin, Cup, DynaLite, Tasmania SC
- 3** SPINNAKER HALYARD:
Cruise XP, Race XP, MegaTwin Dyneema, JammerTwin, DynaLite, Tasmania SC
- 4** BOOM VANG:
Cruise XP, Race XP, DynaOne, Cup, MegaTwin Dyneema, DynaLite, JammerTwin, Tasmania SC
- 5** SPINNAKER SHEET:
Cruise XP, Race XP, DynaLite, MegaTwin Dyneema, Tasmania SC, Gemini X, Gemini X Sport
- 6** CUNNINGHAM:
Cruise XP, Race XP, Cup, MegaTwin Dyneema, DynaLite, DynaOne
- 7** BACKSTAY:
Dyna-One
- 8** TOPMAST BACKSTAY:
Dyna-One
- 9** ROLLER REEFING LINE:
Cruise XP, Race XP, MegaTwin Dyneema, Cup, DynaLite, Tasmania SC
- 10** GENUA SHEET:
Cruise XP, Race XP, MegaTwin Dyneema, JammerTwin, DynaLite, Tasmania SC, Gemini X, Gemini X Sport
- 11** GENUA HALYARD:
Cruise XP, Race XP, MegaTwin Dyneema, JammerTwin, Cup, DynaLite, Tasmania SC
- 12** TOPPING LIFT:
Cruise XP, Race XP, MegaTwin Dyneema, Cup, DynaLite, Tasmania SC
- 13** REEFING LINE:
Hakon, Tasmania, Dyna Lite, Cruise XP



WHAT SHEET OR HALYARD-Ø FOR WHAT SAIL SIZE /m²

Gleistein

m ² Surface	Cruise XP	Race XP	Mega Twin	Jammer Twin	Dyna Lite	Cup	Tasmania SC	Gemini X	Gemini X Sport
5 m ²	6	4	6	8	6	4	6	6	6
10 m ²	6	6	6	8	6	6	6	6	6
20 m ²	8	8	6	8	8	8	10	8	8
30 m ²	10	10	8	10	10	10	12	10	10
40 m ²	12	12	10	12	12	12	12	12	12
50 m ²	12	12	10	12	12	14	14	14	12
60 m ²	12	12	12	-	12	14	14	16	14
70 m ²	14	14	2	-	14	-	-	-	-

m ² Surface	Dynamic Color	Regatta 2000	Magic Pro	Hercules Vision	Herkules Color	Racer
5 m ²	6	4	4	6	6	6
10 m ²	6	6	5	6	6	6
20 m ²	8	6	6	8	8	6
30 m ²	10	8	8	10	10	8
40 m ²	12	10	-	14	14	10
50 m ²	12	10	-	14	14	10
60 m ²	14	12	-	14	14	12
70 m ²	14	12	-	14	14	12



m ² Surface	Wire 7x19
5 m ²	
10 m ²	3
20 m ²	3
30 m ²	4
40 m ²	4
50 m ²	5
60 m ²	5
70 m ²	6